

PC 619



by **Shurtape®**

GENERAL PURPOSE, SPECIALTY GRADE, FLUORESCENT CLOTH DUCT TAPE



TYPICAL APPLICATIONS

- For general use, including color-coding, labeling, floor marking and book-binding
- Also used for stage preparation in the motion picture and audio/visual industries
- Can also be used for a variety of applications in the hospitality, motorsports and floral industries

PRODUCT FEATURES

- Indoor use
- Waterproof backing
- Indoor clean removal up to 3 weeks from most indoor surfaces
- Conformable
- Easy to unwind and tear
- Available in a variety of fluorescent colors

CONSTRUCTION

Overall Grade/Function: General purpose

Backing: Waterproof polyethylene film with a cloth carrier

Adhesive: Natural rubber

STANDARD WIDTH(S)

48 mm

STANDARD LENGTH(S)

55 m

Contact your Shurtape sales representative for other available sizes

STANDARD CORE SIZE

3 in

STORAGE AND USAGE CONDITIONS

Tape should be stored in its original packaging in a cool, dry area away from direct sunlight and should be used within 12 months of date of shipment. Surfaces to which tape is applied should be clean, dry and free of grease, oil or other contaminants.

COLOR(S)



FLUORESCENT GREEN
(FLG)



FLUORESCENT PINK
(FLP)



FLUORESCENT ORANGE
(FLO)



FLUORESCENT YELLOW
(FLY)

PHYSICAL PROPERTIES

Tensile Strength

STANDARD

26 lbs/in width

METRIC

45.5 N/10 mm

Adhesion to Stainless Steel

75 oz/in width

7.66 N/10 mm

Thickness (nominal)

9 mils

0.23 mm

Elongation

16%

16%

Service Temperature Range

40 F to 200 F

4 C to 93 C

Physical and performance characteristics shown above are obtained from tests recommended by PTSC, ASTM, government agencies or Shurtape Technologies, LLC, Quality Assurance and Technical Service departments and do not represent product specifications or a guarantee of product performance. Individual rolls may vary from these standards (or physical properties). The user should determine whether the product is fit for a particular purpose and is suitable for the user's method of application before use.

